EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S33	4	"2003050028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:26
S34	58	(((detect$3 or determin$3 or calculat$3 or predict$3) same temperature same (elevator)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:29
S35	3	(project$3 same temperature same elevator).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:34
S36	1	(((detect$3 or determin$3 or calculat$3 or predict$3) same (post or future) same temperature same (elevator)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:36
S37	0	(((detect$3 or determin$3 or calculat$3 or predict$3) same (post-temperature) same (elevator)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:36
S38	4	(((predict$3) same (temperature) same (elevator)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:36
S39	11	(compar$3 or comparison) same temperature same elevator same (adjust$3 or chang$3) same (acceleration or deceleration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:51
S40	0	(speed same pattern same temperature same post-drive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:58

S41	63	(speed same pattern same temperature same elevator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 11:58
S42	9	((detect$3 or determin$3 or calculat $3 or predict$3) same temperature same (elevator) same compar$3). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 12:04
S43	114	((detect$3 or determin$3 or calculat $3 or predict$3) same temperature same (elevator) same compar$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 12:05
S44	13	S43 and "187"/$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 12:05
S45	39	(limit same temperature same (elevator) same compar$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 12:12
S46	26	187/293,395,296,380,391.ccls. and @pd>"20090101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/14 14:08
S47	1	2003-505395.NRAN.	DERWENT	SAME	ON	2009/07/14 14:12
S48	5	"2002003091"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 09:35
S49	29	(acceleration same deceleration same jerk same elevator same (parameter or data or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 09:43
S50	230	(travel same (parameter or value or data) same (choos$3 or select$3)) and "187"/$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 09:49

S51	382	(travel same (parameter or value or data) same (choos$3 or select$3)) and "187"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 09:49
S52	0	("2007/0012521").URPN.	USPAT	SAME	ON	2009/07/15 09:52
S53	39	(temperature same below same (threshold or limit or level)) and "187"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 10:09
S54	27	(temperature same range same (threshold or limit or level)) and "187"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/07/15 10:12

7/15/2009 11:16:32 AM
C:\Documents and Settings\kchan1\My Documents\EAST\Workspaces\10573651_control device for elevator.wsp